

Developer Documentation



We provide you the complete convenience in applying APIs. But if you still have trouble with APIs integration then please mail us. We wish you a better service..



Send SMS API Section

HTTP API Specification With API-Key

Once downloaded, unzip the compressed folder and you'll see something like this:

```
<|Below API for Send SMS>

https://sms.textspeed.in/vb/apikkey.php?apikey=XXXXXXXXXXXXXXXXXXXX&senderid=XXXXXX&templateid=XXXXXXXX&number=XXXXXXXXXX,XXXXXXXXXX&message=Hello There
```

Unicode or Schedule SMS API With API-Key or Without API-Key

Use optional Parameter, unicode=2. And schedule, time=your schedule time. time format(yyyy-mm-dd hh:MMSS) like: time=2017-02-17 04:00pm

Call Back Short URL

Use optional Parameter, short_url=call back url. eg: short_url=google.com

Mandatory Parameters

Name	Parameter	Description	Expected Values
API Key	apikey	API key generated from your SMS Account. Not required in normal API.	key generated from your account
Sender ID	senderid	Sender ID assigned to your account	Sender ID 6 Character only allow
DLT Template-ID	templateid	Operators have shared that template scrubbing will be live from April 1st, 2021. Please register all necessary templates in DLT platforms. Or related query contact to support team.	Share DLT Registered Template-ID
Mobile number	number	Mobile number to which the SMS is to be sent.The destination mobile number can be with or without 91. Also provide multiple numbers in comma separated format.	Mobile number like 91XXXXXXXX OR 98908XXXXX OR 91XXXXXXXX,98908XXXX
Message	message	Message to be sent	Message text which is URL encoded(Max 1000 char for normal, 500 for unicode)

Optional Parameters

The optional parameters in the HTTP API are tabulated below:

Name	Parameter	Description	Expected Values
unicode	unicode	To specify that the message to be sent is in unicode format.	2
Schedule time	time	Date and time for scheduling an SMS	EX Format: YYYY-MM-DD HH:MM:SS OR YYYY-MM-DD HH:MM AM/PM Like : 2016-12-06 04:45pm
Call Back Short URL	short_url	Conversation tracking with short url	short_url=selected url
Response Type	format	Output format should be as specified by this variable.	PHP/JSON. Default response will be in JSON

API Error Codes

The common error codes received while using the API to send an SMS is in the below format :

Error Code	Status	Description
001	false	Kindly provide apikey
002	false	Invalid route-id
004	false	No Message Found!
005	false	Schedule Date/time can't less than current time!
006	false	Invalid Date Time Format!
007	false	No numbers found!
008	false	You have insufficient credit!
009	false	Parent has Less Balance!
010	false	Message campaign failed!
011	Success	Message submitted successfully

Success Response Data

Success response is in the below format :

status	It indicates the success or failure of your request.
code	success response code 011.
data	response is wrapped inside data
messageid	message campaign id.
totnumber	total numbers of sms
totalcredit	tot sms credit

Example of Send SMS Response:

JSONPHPError Example

```
{
  "status": "Success",
  "code": "011",
  "description": "Message submitted successfully",
  "data": {
    "messageid": "",
    "totnumber": "3",
    "totalcredit": "3"
  }
}
```

DLR Response API

```
<|Below API for delivry report>

https://sms.textspeed.in/vb/http-dlr.php?apikey=XXXXXXXXXXXXXXXXXX&msgid=XXXXXXXXXX&format=json
```

API Error Codes

The common error codes received while using the API to get dlr report is in the below format :

Error Code	Status	Description
001	false	Kindly provide valid apikey
002	false	Invalid user OR user is deactivated
003	false	Kindly provide valid message id

Example of DLR Response:

JSONPHPError Example

```
{
  "status": "Success",
  "code": "004",
  "totRecord": "3",
  "data": [
    {
      "id": "HzQz",
      "mobile": "XXXXXXXXXX",
      "status": "delivered",
      "delvd_time": "01-01-2019 23:59:58",
    },
    {
      "id": "HzQz",
      "mobile": "XXXXXXXXXX",
      "status": "delivered",
      "delvd_time": "01-01-2019 23:59:59",
    },
    {
      "id": "HzQz",
      "mobile": "XXXXXXXXXX",
      "status": "submitted",
      "delvd_time": "---",
    }
  ]
}
```

Check Balance API

```
https://sms.textspeed.in/vb/http-credit.php?apikey=XXXXXXXXXXXXXXXXXX&route_id=X&format=json
```

API Error Codes

The common error codes received while using the API to get dlr report is in the below format :

Error Code	Status	Description
001	false	Kindly provide valid apikey
002	false	Kindly provide valid route ID

Example of Credit API Response:

JSONPHPError Example

```
{
  "status": "Success",
  "code": "003",
  "balance": "500000"
}
```

Example of API Integration:

Below source code of push API.

```
<|Below code in php.>
$key = "XXXXXXXXXXXXXXXXXXXX";
$mb1="XXXXXXXXXX"; //or $mb1="XXXXXXXXXX,XXXXXXXXXX";/*
$message_content=urlencode("hello there");

$senderid="XXXXXX"; $route= 1;
$templateid="XXXXXX";
$url = "https://sms.textspeed.in/vb/apikkey.php?apikey=$key&senderid=$senderid&templateid=$templateid&number=$mb1&message=$message_content";

$output = file_get_contents($url); /*default function for push any url*/
```

Thank You!

Send SMS API

- Send SMS API
- Schedule/Unicode
- Mandatory parameters ?
- Optional parameters ?
- API Error Codes ?
- Success Response ?

DLR Response/Balance API

- DLR Response
- Check Balance

Documentation

- API Integration ?